CENTERS FOR MEDICARE & MEDICAID SERVICES CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS
EMMC LAFAYETTE FAMILY CANCER CENTER
33 WHITING HILL ROAD, SUITE 5
BREWER, ME 04412

20D1106238

EFFECTIVE DATE

08/03/2020

EXPIRATION DATE

08/02/2022

LABORATORY DIRECTOR

SCOTT D DUFRESNE M.D.

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer, Director
Division of Laboratory Services

Survey and Certification Group Center for Clinical Standards and Quality

22 Certs2_070720

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)

ROUTINE CHEMISTRY (310) URINALYSIS (320) HEMATOLOGY (400)

EFFECTIVE DATE

08/03/2010 08/03/2010 08/03/2010 LAB CERTIFICATION (CODE)

EFFECTIVE DATE





FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.