

Cancer Research Clinical Trials

Updated 2/14/2024

Biliary Tract Cancers

BioBanking

| Alliance A212102 | Blinded Reference Set for Multicancer Early Detection Blood Tests |
|------------------|--------------------------------------------------------------------|
| NCT05334069 | Billided Reference Set for Multicancer Early Detection Blood Tests |

Brain

| NRG-BN011 | A Phase III Trial of Lomustine-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients with |
|-------------|---------------------------------------------------------------------------------------------------------------|
| NCT05095379 | Methylated MGMT Promoter Glioblastoma |

Breast - Neoadjuvant

Breast - DCIS

Breast - Adjuvant Triple Negative

BREAST - Adjuvant HR Positive

BREAST - Adjuvant HER2+

| Alliance A011801 NCT04457596 | ļ | The CompassHER2 Trials (COMprehensive use of Pathologic Repsonse ASSessment to optimize Therapy in HER2-positive Breast Cancer): CompassHER2 Residual Disease (RD), A Double-Blinded, Phase III Randomized Trial of T-DM1 and Placebo Compared with T-DM1 and Tucatinib |
|-----------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DFCI 21-159 ATEMPT NCT04893109 | | A Randomized Phase II Trial of Adjuvant Trastuzumab Emtansine (T-DM1) Followed by Subcutaneous Trastuzumab vs. Paclitaxel in Combination With Subcutaneous Trastuzumab for Stage I HER2-Positive Breast Cancer (ATEMPT 2.0) |

Breast - Adjuvant XRT

| CCTG MA.39 NCT03488693 | A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer |
|---------------------------|---------------------------------------------------------------------------------------------------------|
| SWOG S1706 | A Phase II Randomized Trial of Olaparib (NSC-747856) Administered Concurrently with Radiotherapy versus |
| NCT03598257 | Radiotherapy alone for Inflammatory Breast Cancer |

Breast - Metastatic

Breast - Locally Advanced/Metastatic

HER2+/HR+

| DFCI 20-347 ADEPT | A Single Arm Phase II Study of Adjuvant Endocrine Therapy, Subcutaneous Pertuzumab, and Trastuzumab Fixed-Dose |
|-------------------|----------------------------------------------------------------------------------------------------------------|
| NCT04569747 | Combination for Patients With Anatomic Stage I Hormone Receptor-Positive, HER2-Positive Breast Cancer |

ER+/HER2-

| ML431/1 NCT05306340 | have ESR1 | A Phase III, Randomized, Open-Label, Multicenter Study Evaluating the Efficacy and Safety of Giredestrant Plus Everolimus Compared With Exemestance Plus Everolimus in Patients With Estrogen Receptor-Postive, HER2- Negative, Locally Advanced or Metastatic Breast Cancer |
|------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Triple Negative

| DFCI 18-617 | A Prospective Registry to Cure Triple-Negative Breast Cancer in Patients With Early-Stage or Newly Diagnosed |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCT# N/A | Metastatic Disease: The TNBC Registry |
| DFCI 20-166 NCT04468061 | Saci-IO TNBC: Randomized phase II study of sacituzumab govitecan with or without pembrolizumab in PD-L1-negative metastatic triple negative breast cancer (TNBC) |

Radiation

| NRG-BR007 | A Phase III Clinical Trial Evaluating DE-escalation of Breast RAdiation for Conservative Treatment of Stage I, Hormone |
|-------------|------------------------------------------------------------------------------------------------------------------------|
| NCT04852887 | Sensitive, HER2-Negative, Oncotype Recurrence Score ≤ 18 Breast Cancer |

Children's Oncology Group Registry

| APEC14B1 (Patients | Droject EveryChild: A Registry, Eligibility Screening, Biology and Outcome Registry |
|--------------------|-------------------------------------------------------------------------------------|
| 25 and Younger) | Project EveryChild: A Registry, Eligibility Screening, Biology and Outcome Registry |

ComboMATCH Trials

| EAY191 NCT05564377 | | Molecular Analysis for Combination Therapy Choice (ComboMATCH) |
|--------------------------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EAY191-N2 NCT05554354 | | Phase 2 Trial of Fulvestrant and Binimetinib in Patients with Hormone Receptor-Positive Metastatic Breast Cancer with a Frameshift or Nonsense Mutation or Genomic Deletion in NF1: A ComboMATCH Treatment Trial |
| EAY191-N4 NCT05554328 | | A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers: A ComboMATCH Treatment Trial |
| EAY191-S3 NCT05554380 | | Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial |
| EAY191-E4 NCT05554341 | Temprarily closed to accrual | Nilotinib and Paclitaxel in Patients with Prior Taxane-Treated Solid Tumors: A ComboMATCH Treatment Trial |
| EAY191-A3 NCT05554367 | | Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial |
| EAY191-A6 NCT05554367 | | FOLFOX in Combination with Binimetinib as 2nd Line Therapy for Patients with Advanced Biliary Tract Cancers with MAPK Pathway Alterations: A ComboMATCH Treatment Trial |

Colorectal

| NRG- GI004 NCT02997228 | DTI Poquired | NRG-GI004/SWOG-S1610: Colorectal Cancer Metastatic dMMR Immuno-Therapy (COMMIT) Study: A Randomized Phase III Study of mFOLFOX6/Bevacizumab Combination Chemotherapy with or without Atezolizumab or Atezolizumab Monotherapy in the First-Line Treatment of Patients with Deficient DNA Mismatch Repair (dMMR) Metastatic Colorectal Cancer |
|---------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SWOG S1922 NCT04205968 | | Randomized Phase II Selection Study of Ramucirumab and Paclitaxel Versus FOLFIRI in Refractory Small Bowel Adenocarcinoma |
| A022104 NCT05610163 | | The Janus Rectal Cancer Trial: A Randomized Phase II Trial Testing the Efficacy of Triplet Versus Doublet Chemotherapy to Achieve Clinical Complete Response in Patients with Locally Advanced Rectal Cancer |

Gastroesophageal

Genitourinary

Germ Cell

| AGCT1531 | |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| NCT03067181 | A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standar |
| (Patients <50 years of | Risk Pediatric and Adult Patients with Germ Cell Tumors |
| age) | |
| AGCT1532 | |
| NCT02585697 | A Randomised Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate and |
| (Patients = 45 years</th <th>Poor-Risk Metastatic Germ Cell Tumors</th> | Poor-Risk Metastatic Germ Cell Tumors |
| of age) | |

GYN

| NRG GY019 | A Randomized Phase III, Two-Arm Trial of Paclitaxel/Carboplatin /Maintenance Letrozole vs Letrozole Monotherapy |
|-------------|-----------------------------------------------------------------------------------------------------------------|
| NCT04095364 | in Patients with Stage II-IV, Primary Low-Grade Serous Carcinoma of the Ovary or Peritoneum |
| | |

Head and Neck

| NRG-HN009 NCT05050162 | Randomized Phase II/III Trial of Radiation with High-Dose Cisplatin (100mg/m2) Every Three Weeks Versus Radiation with Low-Dose Weekly Cisplatin (40mg/m2) for Patients with Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN) |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Hodgkin Lymphoma

Leukemia - Untreated/Newly Diagnosed

| DFCI 18-089 | A Phase I/II Study of Duvelisib and Venetoclax in Patients with Relapsed or Refractory Chronic Lymphocytic Leukemia |
|-------------|---------------------------------------------------------------------------------------------------------------------|
| NCT03534323 | or Small Lymphocytic Lymphoma in Patients or Patients with Richter's Syndrome |

Lung Cancer - Screening Adjuvant

| Alliance A151216 | |
|------------------|----------------------------------------------------------------------------|
| (ALCHEMIST) | Adjuvant Lung Cancer Enrichment Marker Identification and Sequencing Trial |
| NCT02194738 | |

Lung Cancer - Adjuvant

| Alliance A081801 NCT04267848 | Integration of Immunotherapy Into Adjuvant Therapy for Resected NSCLC: ALCHEMIST Chemo-IO |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ECOG E4512 (ALCHEMIST) NCT 02201992 | A Phase III Double-Blind Trial for Surgically Resected Early Stage Non-Small Cell Lung Cancer: Crizotinib versus Placebo for Patients with Tumors Harboring the Anaplastic Lymphoma Kinase (ALK) Fusion Protein |
| SWOG 1827 NCT04155034 | MRI Brain Surveillance Alone versus MRI Surveillance and Prophylactic Cranial Irradiation (PCI): A Randomized Phase III Trial in Small-Cell Lung Cancer (MAVERICK) |

Lung Cancer - 1st Line Metastatic

| FCOC ACRINIFATICS | INSIGNIA: A Randomized, Phase III Study of Firstline Immunotherapy alone or in Combination with Chemotherapy in |
|-------------------|-----------------------------------------------------------------------------------------------------------------|
| ECOG-ACRIN EA5163 | Induction/Maintenance or Postprogression in Advanced Non-squamous, Non-Small Cell Lung Cancer (NSCLC) with |
| NCT03793179 | Immunobiomarker SIGNature driven Analysis |

Lung Cancer - 2nd Line Metastatic

| LUNGMAP NCT03851445 | A Master Protocol to Evaluate Biomarker-Driven Therapies and Immunotherapies in Previously-Treated Non-Small Cell Lung Cancer (Lung-MAP Screening Study) |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SWOG 1900E NCT04625647 | Phase II Study of Sotorasib (AMG 510) in Participants with Previously Treated Stage IV or Recurrent KRAS G12C Mutated Non-Squamous Non-Small Cell Lung Cancer (ECOG-ACRIN LUNG-MAP SUB-STUDY) |
| SWOG S1900G NCT05642572 | A Randomized Phase II Study of INC280 (Capmatinib) Plus Osimertinib with or Without Ramucirumab in Participants with EGFR-Mutant, MET-Amplified Stage IV or Recurrent Non-Small Cell Lung Cancer (Lung-MAP Sub-Study) |
| SWOG S2302 NCT05633602 | Pragmatica - Lung: A Prospective Randomized Study of Ramucirumab (LY3009806; NSC 749128) Plus Pembrolizumab (MK-3475; NSC 776864) Versus Standard of Care for Participants Previously Treated with Immunotherapy for Stage IV or Recurrent Non-Small Cell Lung Cancer |

Lymphoma

| ANHL1931 NCT04759586 | A Randomized Phase 3 trial of Nivolumab (NSC# 748726 IND# 125462 for the Treatment of Newly Diagnosed Primary Mediastinal B-cell Lyr | • |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|---|
| DFCI 18-089 NCT03534323 | A Phase I/II Study of Duvelisib and Venetoclax in Patients with Relaps or Small Lymphocytic Lymphoma in Patients or Patients with Richter | |

MCGI

| MCGI 2.0 | The Maine Cancer Genomics Initiative (MCGI) 2.0: A Study of Oncology Clinician and Patient Experiences with Clinical |
|----------|----------------------------------------------------------------------------------------------------------------------|
| | Genomics in Northern New England |

Melanoma - Locally Advanced Metastatic

| ECOG-ACRIN EA6141 | Randomized Phase II/III Study of Nivolumab plus Ipilimumab plus Sargramostim versus Nivolumab plus Ipilimumab in |
|-------------------|------------------------------------------------------------------------------------------------------------------|
| NCT02339571 | Patients with Unresectable Stage III or Stage IV Melanoma |

Melanoma - Adjuvant

Merkel Cell

Myeloma

| SWOG S1803 NCT04071457 | | Phase III Study of Daratumumab/HuPH20 (NSC-810307) + Lenalidomide or Lenalidomide as PostOAutologous Stem Cell Transplant Maintenance Therapy in Patients with Multiple Myeloma (MM) using Minimal Residual Disease to Direct Therapy Duration (DRAMMATIC STUDY) |
|---------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AFT-41 NCT04009109 | Projected closed to accrual 12/21/23 | A Phase II Study of Lenalidomide, Ixazomib, Dexamethasone and Daratumumab in Transplant-Ineligible Patients With Newly Diagnosed Multiple Myeloma |

Myeloma - Relapsed/Refractory

Prevention

| Alliance A151804 | Establishment of a National Biorepository to Advance Studies of Immune-Related Adverse Events |
|------------------|--------------------------------------------------------------------------------------------------|
| NCT04242095 | Establishment of a National Biorepository to Advance Studies of Infindire-Related Adverse Events |

Prostate

| SWOG S1802 NCT03678025 | Phase III Randomized Trial of Standard Systemic Therapy (SST) versus Standard Systemic Therapy plus Definitive Treatment (Surgery or Radiation) of the Primary Tumor in Metastatic Prostate Cancer |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NRG-GU008 NCT04134260 | Randomized Phase III Trial Incorporating Abiraterone Acetate with Prednisone and Apalutamide and Advanced Imaging into Salvage Treatment for Patients with Node-Positive Prostate Cancer after Radical Prostatectomy |

Rare Tumors

| TAPUR NCT02693535 | The Targeted Agent and Profiling Utilization Registry (TAPUR) Study |
|----------------------|---------------------------------------------------------------------|
| | |

Renal

| Alliance A031704 | PD-Inhibitor (Nivolumab) and Ipilimumab Followed by Nivolumab vs. VEGFTKI Cabozantinib with Nivolumab: A Phase |
|------------------|----------------------------------------------------------------------------------------------------------------|
| (PDIGREE) | III Trial in Metastatic Untreated Renal Cell Cancer (PDIGREE) |
| NCT03793166 | III That in Metastatic Ontreated Kenar een Cancer (1 Digikel) |